

DT07 Rec'd PCT/PTO 07 MAR 2005

PCT

Attorney Docket # 3401-146PUS

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Siegfried GINTER et al.

Serial No.: 10/523,334

Filed: January 28, 2005

For: Method For Effecting Local Increases In
Temperature Inside Materials, Particularly Body
Tissue

I hereby certify that this correspondence is being
deposited with the United States Postal Service with
sufficient postage as first class mail in an envelope
addressed to: Commissioner for Patents, P.O. Box 1450,
Alexandria, VA 22313-1450, on

March 4, 2005

(Date of Deposit)

Thomas C. Pontani

Name of applicant, assignee or Registered Representative

Signature

March 4, 2005

Date of Signature

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

SIR:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56 and in accordance
with the practice under 37 C.F.R. §§ 1.97 and 1.98, the Examiner's attention is directed to the
documents listed on the enclosed Form PTO/SB/08a. Copies of the listed documents are also
enclosed.

It is respectfully requested that the above information be considered by the Examiner
and that the copy of the enclosed Form PTO/SB/08a be returned indicating that such information
has been considered.


In accordance with 37 C.F.R §§1.97(g) and (h), the filing of this Information
Disclosure Statement should not be construed as a representation that a search has been made or

that information cited is, or is considered to be, material to patentability as defined in §1.56(b), or that any cited document listed or attached is (or constitutes) prior art. Unless otherwise indicated, the date of publication indicated for an item is taken from the face of the item and Applicant(s) reserve(s) the right to prove that the date of publication is in fact different.

If any fees or charges are deemed required at this time in connection with the application, the same may be charged to our Patent and Trademark Office Deposit Account No. 03-2412.

Respectfully submitted,
COHEN, PONTANI, LIEBERMAN & PAVANE

By:



Thomas C. Pontani
Reg. No. 29,763
551 Fifth Avenue, Suite 1210
New York, New York 10176
(212) 687-2770

Dated: March 4, 2005

| | | | |
|-----------------------------------------------------------------------------------------------|------------------------|--------------------------|------------------|
| Substitute for Form 1449/PTO | | Complete if Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | Application Number | 10/523,334 |
| | | Filing Date | January 28, 2005 |
| | | First Named Inventor | Siegfried GINTER |
| | | Art Unit | |
| | | Examiner Name | |
| Sheet 1 of 2 | Attorney Docket Number | 3401-146PUS | |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² |
| | AA | D. R. Daum and K. Hynynen, A 256-Element Ultrasonic Phased Array System For The Treatment Of Large Volumes Of Deep Seated Tissue. <i>IEEE Trans. Ultras. Ferro. Freq. Control</i> , 46(5):1254-1268, 1999 | |
| | AB | F. A. Duck, Physical Properties of Tissue, Academic Press, London 1990, pp. 98-101, Tables 4.13, 4.14, 4.15, and 4.16. | |
| | AC | F. Feng, C. Zhu, J. Xu, Z. Chen, and H. Li. Enhancement of ultrasonic cavitation yield by a bifrequency irradiation and its frequency effect. <i>Proceedings of the 135th Meeting of the ASA, Seattle, USA</i> , volume III, pages 1715-1716. Acoustical Society of America, Juni 1998 | |
| | AD | E.A. Filonenko, Effect Of Acoustic Nonlinearity On Heating Of Biological Tissue By High-Intensity Focused Ultrasound. <i>Acoustical Physics</i> , 47(4):468-475, 2001. | |
| | AE | K. Fujimoto, Y. Ishibashi, M. Shibata, T. Suzuki, S. Aida, N. Ioritani, S. Shirai, and S. Orikasa. A new cavitation suppression technique for local ablation using high-intensity focused ultrasound. In <i>IEEE Ultrasonic Symposium - 1995</i> , pages 1629-1632, 1995 | |
| | AF | S. Ginter, Numerical Simulation Of Ultrasound-Thermotherapy Combining Nonlinear Wave Propagation With Broadband Soft-Tissue Absorption. <i>Ultrasonics</i> , 37:693-696, 2000. | |
| | AG | C. R. Hill, Optimum Acoustic Frequency For Focused Ultrasound Surgery. <i>Ultrasound Med. And Biol</i> , 20(3):271-277, 1994. | |
| | AH | C. R. Hill and G. R. ter Haar. Review Article: High Intensity Focused Ultrasound - Potential For Cancer Treatment. <i>Brit. J. Radiol.</i> , 68(816):1296-1303, 1995. | |
| | AI | V. Khokklova, O. Sapozhnikov, Yu. Pishchalnikov, T. Sinilo, E. Filonenko, M. Bailey, and L. Crum, Enhancement Of Ultrasound-Induced Heating In Tissue Phantoms Due To Formation Of Shocks: Experimental Measurements And Numerical Simulation. Handout: WFUMB 2000, Florence, 2000. | |
| | AJ | B.-Y. Lu, W.-L. Lin, Y.-Y. Chen, R.-S. Yang, T.-S. Kou, and C.-Y. Wang, A Multifrequency Driving System For Ultrasound Hyperthermia, <i>IEEE Engineering in Medicine and Biology</i> , 18(5):106-111, 1999. | |
| | AK | G. O. N. Oosterhof, E. B. Cornel, G. A. H. J. Smits, F. M. J. Debruyne, and J. A. Schalken, Influence Of High-Intensity Focused Ultrasound On The Development Of Metastases, <i>European Urology</i> , 32(1):91-95, 1997 | |

| | |
|--------------------|-----------------|
| Examiner Signature | Date Considered |
|--------------------|-----------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

If you need assistance in completing the form call 1-800-PTO-9100 (1-800-786-9100) and select option 7

* Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

| | | | |
|--|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| | AL | R. Rastert, I. Simiantonakis, M. Moosmann, P. Huber, J. Debus, and J. Jenne, Treatment Acceleration By Modification Of Sound Fields And Sonication Modalities. <i>IEEE Ultrasonics Symposium, San Juan Puerto Rico</i> , volume 2 pages 1441-1444. IEEE Ultrasonics, Ferroelectrics and Frequency Control Society, October 2000. | |
| | AM | I. H. Rivens, R. L. Clarke, and G. R. ter Haar, Design of focused ultrasound surgery transducers, <i>IEEE Trans. Ultras. Ferro. Freq. Control</i> , 43(6):1023-1031, 1996. | |
| | AN | G. Vallancien, E. Chartier-Kastler, N. Bataille, D. Chopin, M. Hargouni, and J. Bougaran, Focused Extracorporeal Pyrotherapy, <i>European Urology</i> , 23 (suppl. 1), 1993. | |
| | AO | F. Wu, W.-Z. Chen, J. Bai, J.-Z. Zou, Z.-L. Wang, H. Zhu, and Z.-B. Wang, Pathological Changes In Human Malignant Carcinoma Treated With High-Intensity Focused Ultrasound, <i>Ultrasound Med. And Biol.</i> , 27(8):1099-1106, 2001. | |

| | | | |
|-----------------------|--|--------------------|--|
| Examiner Signature | | Date Considered | |
|-----------------------|--|--------------------|--|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. * Applicant's unique citation designation number (optional). * See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. * Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). * For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. * Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. * Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

If you need assistance in completing the form call 1-800-PTO-9199 (1-800-786-9199) and select option 2